INDEX TO VOLUME 105

COMPILED BY K. ELIZABETH K. PACALA

This index is primarily one to new information. Previously published information referred to in this volume has not been indexed unless extensive comparisons or reinterpretations are involved. For some species, especially ones not in the A.O.U. check-list, only scientific names have been entered, and, in some instances, entries under scientific names are more extensive than those under vernacular names. New generic, specific, and subspecific names are printed in **boldface** type.

Able, Kenneth P., see Terrill, Scott B., and ———
Accipiter nisus, 282–284
A. striatus venator, 649–660
Actitis macularia, 98, 99
Adamus, Paul R., Atlas of breeding birds in Maine, 1978–1983 (rev.), 606
Aechmophorus occidentalis, 98, 99, 100
Aegolius funereus, 783–788
Aethia cristatella, 345–348, 446–451
A. pusilla, 345–348
Age, determination of, 783, 786–788
Agelaius phoeniceus, 89–95, 197–199, 379–383, 799–801
Aguilar, Roberto E., see Guerra, Carlos G., et al.
Ahlquist, Jon E., see Sibley, Charles G., et al.
Aix sponsa, 452–458
Alaska, 193–194, 345–348
Alberta, 727–734
Alca torda, 681, 683–694
Alcidae, 681–695
Alcodes ulnulus, 681, 688, 693
Ali, Sálim, and S. Dillon Ripley, Handbook of the birds of India and Pakistan. Vol. 5, Larks to the Grey Hypocolius (rev.), 405
American Ornithologists' Union, Information for contributors to *The Auk*, 231–233; William Brewster Memorial Award, 406; Elliott Coues Award, 407; Proceedings of the One-Hundred-Fifth Stated Meeting, 1AA–32AA
Ammodramus savannarum, 792–793
Amundsen, Trond, see Stokland, Jogeir N., and ———
Anas acuta, 98, 99
A. bahamensis, 452–458
A. clypeata, 98, 99, 164–165, 167, 168, 175
A. discors, 164–165, 167, 168, 175
A. platyrhynchos, 98, 99, 102–108, 452–458, 804–806, 807
A. rubripes, 804–806, 807
Anatidae, 161–168, 174–176
Anatomy and morphology of *Aethia cristatella*, 446–451; *Agelaius phoeniceus*, 379–383; Alcidae, 681–695; *Aptenodytes forsteri*, 446–451; *A. patagonica*, 446–451; *Bombycilla cedrorum*, 379–383; *Carduelis tristis*, 379–383, 715–719; *Carpodacus mexicanus*, 715–719; *Catharus fuscescens*, 379–383; *Cepphus columba*, 446–451; *Coccothraustes vespertinus*, 715–719; *Coccyzus americanus*, 446–451; *Colaptes auratus*, 446–451; *Colinus virginianus*, 446–451; *Columba livia*, 446–451; *Cyclorrhynchus psittacula*, 446–451; Darwin's finches, 666–667; *Dendroica coronata*, 379–383; *Eudyptes chrysolophus*, 446–451; *E. crestatus*, 446–451; *Fratercula cirrhata*, 446–451; *F. corniculata*, 446–451; *Gracula religiosa*, 446–451; *Hesperornis*, 111–120; *Hylocichla mustelina*, 446–451; *Icterus galbula*, 379–383; *Larus delawarensis*, 379–383; *L. occidentalis*, 446–451; *Loxia curvirostra*, 715–719; *L. leucoptera*, 578–579, 715–719; *Melanitta nigra*, 446–451; *Melanospiza richardsoni*, 666–667; *Parahesperornis*, 111–120; *Passer domesticus*, 379–383; *Passerina cyanea*, 379–383; *Pelecanoides georgicus*, 446–451; *P. urinatrix*, 446–451; *Pinguinus impennis*, 681–695; *Porzana carolina*, 446–451; *Ptychoramphus aleuticus*, 446–451; *Pygoscelis adeliae*, 446–451; *P. antarctica*, 446–451; *P. papua*, 446–451; *Quiscalus quiscula*, 379–383; *Ramphastos ambiguus*, 446–451; *Rissa tridactyla*, 446–451; *Seiurus noveboracensis*, 379–383; *Sericornis* spp., 622–623, 624–625; *Setophaga ruticilla*, 379–383; *Sphyrapicus varius*, 383; *Sporophila aurita*, 666; *Sturnus vulgaris*, 379–383; *Synthliboramphus antiquus*, 446–451; *Tachycineta bicolor*, 379–383; *Tiaris bicolor*, 666; *T. olivacea*, 666; *Tyto alba*, 701–704; *Uria aalge*, 446–451; *U. lomvia*, 446–451; *Volatinia jacarina*, 666–667; *Zonotrichia leucophrys*, 379–383
Anderson, Daniel W., review by, 605–606
Ankney, C. Davison, and Darrel G. Dennis, Commentary: Response to Hepp et al., 807–808
Anous stolidus, 589–590
Anser indicus, 452–458
Anseranas semipalmata, 452–458
Antarctica, 428–431
Aptenodytes forsteri, 446–451
A. patagonica, 446–451
Aquila chrysaetos, 793–795
Arenaria interpres, 460–464
Argentina, 439–444, 585–588
Arizona, 70–76, 177–189, 286–294, 789–791
Auk, Great, 681–695
Auklet, Crested, 345–348; Least, 345–348; Parakeet, 345–348
Australia, 78–86, 616–627
Avise, John C., and Robert M. Zink, Molecular genetic divergence between avian sibling species: King and Clapper rails, Long-billed and Short-billed

dowitchers, Boat-tailed and Great-tailed grackles, and Tufted and Black-crested titmice, 516–528
Avocet, American, 98, 99, 100
Aythya nyroca, 452–458
A. valisineria, 543–551

Badgerow, John P., An analysis of function in the formation flight of Canada Geese, 749–755
Baker, Ann Eileen Miller, see Baker, Myron Charles, et al.
Baker, Myron Charles, Eric Stone, Ann Eileen Miller Baker, Robert J. Shelden, Patricia Skillicorn, and Mark D. Mantych, Evidence against observational learning in storage and recovery of seeds by Black-capped Chickadees, 492–497
Balát, František, [Key to the identification of our birds in nature] (rev.), 228
Balda, Russell P., see Marzluff, John M., and ———; see Sydeman, William J., et al.
Bananaquit, 298–301, 664
Baptista, Luis F., and Pepper W. Trail, On the origin of Darwin's finches, 663–671
Barclay, Robert M. R., Variation in the costs, benefits, and frequency of nest reuse by Barn Swallows (*Hirundo rustica*), 53–60
Barlow, Jon C., see Hardy, John Williams, et al.
Barn-Owl, Common, 699–704
Barzen, Jeb A., see Lovvorn, James R., and ———
Baverstock, Peter R., see Christidis, Leslie, et al.
Beardsell, C. M., see Emerson, W. B., et al.
Beehler, B. M., T. K. Pratt, and D. A. Zimmerman, Birds of New Guinea (rev.), 816–818
Behavior, activity patterns, 21–25, 384–385, 428–431; age-related, 3–8, 93, 94, 128–139, 152, 153, 154, 155, 157, 158, 278–284, 316, 317–319, 322–323, 424–427, 486–487, 489–490; agonistic, 39–40, 41–42, 292, 293, 502, 651, 656; altruistic (see Communal breeding); antipredator, 436, 437, 580–581; breeding, 17–25, 64–68, 149–158, 196–199, 252–258, 268–275, 278–284, 303–306, 316–323, 428–431, 433–438, 536–541, 575–577, 649–660, 667–668, 672–679, 727–734, 737–747, 799–801; cannibalistic, 744; copulatory, 149–158, 668, 745–746; courtship, 256, 303–306, 651, 656, 667, 668; dominance, 89–95, 424–427, 727–734; effect of environment on, 11–16, 23, 583–584; feeding, 14–15, 17, 21–25, 36, 133–139, 244–250, 345–348, 370–371, 384–385, 428–431, 492–497, 578–579, 652, 653, 654, 658–659, 672–679, 715–719, 720–725; feeding aggregation, 583–584; flight, 749–754; food-begging, 145–146; foraging (see Behavior, feeding); incubation, 428–431, 652; individual distance, 91–94, 95, 197, 252–258, 585–588; interspecific, 583–584; learning, 492–497, 536–541; mate replacement, 429–431, 500, 575–576, 732; mating preference, 64, 65–68, 186–187, 256, 257–258, 278–284, 291, 294, 303–306, 327–328, 429–431, 500, 502; nest helper (see Communal breeding); nest-site tenacity, 193, 268–275, 339–343, 430, 431, 480–490, 649, 650–651; nesting, 53–59, 103, 196–199, 252–258, 268–275, 339–343, 372–374, 433–438, 536–541, 649, 650–652, 667–668, 789–791; ontogeny of, 142–147; pair, 193, 268–275, 278–284, 286–294, 428–431, 483–484, 651, 652, 653; parental care, 83, 85–86, 149–158, 270, 372–374, 502, 561–562, 575–577, 580–581, 581–582, 653, 654, 655, 658–659, 672–679, 792–793; roosting, 123–126; sexual differences in, 36–37, 39–40, 41–44, 131, 135, 136, 139, 247–248, 249, 424–427, 483–484, 486, 487–489, 667; site fidelity, 132–133, 134–136, 268–275, 334, 335, 339–343, 429–430, 442, 443, 480–490, 630–636, 642–643, 644, 649, 650–651, 792; social, 72, 293–294; territorial, 3–5, 6–8, 11–16, 17–25, 36–44, 370–371, 651, 656, 727–734; thermoregulatory, 124–126; vocal, 11–16, 142–147, 298–299, 589–590, 609–615, 652, 653, 667–668, 669
Behavior of *Accipiter nisus*, 282–284; *A. striatus venator*, 649–660; *Agelaius phoeniceus*, 89–95, 799–801; *Ammodramus savannarum*, 792–793; *Bombycilla cedrorum*, 64–68; *Branta canadensis*, 749–754; *Carduelis tristis*, 384–385; *Charadrius melodus*, 268–275, 630–636; *Circus cyaneus*, 303–306; Darwin's finches, 667–669; *Empidonax traillii*, 17–25; *Falco sparverius*, 36–44; *Fregata minor*, 252–258; *Fulmarus glacialis*, 193; *Gymnorhinus cyanocephalus*, 286–294; *Hirundo pyrrhonota*, 737–747; *H. rustica*, 53–59; *Lanius excubitor*, 580–581, 581–582; *Larus glaucescens*, 282–284; *L. novaehollandiae*, 282–284; *L. occidentalis*, 128–139; *Loxia leucoptera*, 370–371; *Megadyptes antipodes*, 282–284; *Melanospiza richardsoni*, 667–669; *Nymphicus hollandicus*, 536–541; *Parus atricapillus*, 492–497, 727–734; *Passerina cyanea*, 149–158, 372–374; *Phalacrocorax atriceps*, 278, 282–284; *Pheucticus melanocephalus*, 3–9; *Phoeniculus purpureus*, 124–126; *Pygoscelis adeliae*, 278, 282–284, 428–431; *Rissa tridactyla*, 282–284; *Sarcoramphus papa*, 196; *Setophaga ruticilla*, 609–615; *Sialia sialis*, 575–577; *Sporophila aurita*, 667, 668; *Sterna caspia*, 339–343; *S. dougallii*, 433–438; *S. hirundo*, 142–147, 433–438; *S. paradisaea*, 282–284; *S. striata*, 282–284; *Tiaris bicolor*, 667–669, *T. olivacea*, 667–669; *Troglodytes aedon*, 480–490; *Volatinia jacarina*, 667–669; *Xanthocephalus xanthocephalus*, 672–679; *Zonotrichia querula*, 424–427
Bellrose, Frank C., see Sanderson, Glen C., and ———
Benkman, Craig W., Why White-winged Crossbills do not defend feeding territories, 370–371; A 3:1 ratio of mandible crossing direction in White-winged Crossbills, 578–579; Sex handling ability, bill structure, and the cost of specialization for crossbills, 715–719
Berger, Andrew J., review by, 399–400
Berman, Susan L., review by, 603–604
Berrett, D. G., see Pratt, H. D., et al.
Bicanovsky, Lesley, see Raikow, Robert J., et al.
Bildstein, Keith L., review by, 214–215
Bird, David M., review by, 811–812

Birkhead, Mike, and Christopher Perrins, The Mute Swan (rev.), 812–813
Black-Grouse, Eurasian, 378–379
Blackbird, Red-winged, 89–95, 197–199, 379–383, 799–801; Yellow-headed, 672–679
Bledsoe, Anthony H., Nuclear DNA evolution and phylogeny of the New World nine-primaried oscines, 504–515; see Raikow, Robert J., et al.
Blokpoel, H., and G. D. Tessier, Commentary: Learning to live with nature: a commendable philosophy with practical limitations, 396–397
Bluebird, Eastern, 575–577; Western, 789–791
Boardman, W. I., see Burger, Joanna, et al.
Bobwhite, Northern, 776–777, 778
Boersma, P. Dee, see Capurro, Angel, et al.
Bolen, Eric G., review by, 595–596
Bombycilla cedrorum, 61–68, 379–383, 808
Brachyramphus marmoratus, 98, 99, 100
Branta canadensis, 98, 99, 749–754
B. ruficollis, 452–458
Braun, Michael J., see Houde, Peter, and ———
Brawn, Jeffrey D., Selectivity and ecological consequences of cavity nesters using natural vs. artificial nest sites, 789–791
Breeding of *Accipiter nisus*, 282–284; *A. striatus venator*, 649–660; *Aegolius funereus*, 784, 785; *Agelaius phoeniceus*, 197–199, 799–801; *Ammodramus savannarum*, 792–793; *Anas platyrhynchos*, 102–108; *Aquila chrysaetos*, 793–795; *Bombycilla cedrorum*, 64–68; *Charadrius melodus*, 268–275; *Circus cyaneus*, 303–306; *Fregata minor*, 252–258; *Gymnorhinus cyanocephalus*, 286–294; *Hirundo pyrrhonota*, 737–747; *H. rustica*, 53–59; *Lagopus lagopus*, 330–336; *Lanius excubitor*, 581–582; *Larus glaucescens*, 282–284; *L. novaehollandiae*, 282–284; *Megadyptes antipodes*, 282–284; *Nymphicus hollandicus*, 536–541; *Parus atricapillus*, 727–734; *Passerina cyanea*, 149–158, 372–374; *Phalacrocorax atriceps*, 278, 282–284; *Poephila guttata*, 78–86; *Pygoscelis adeliae*, 278, 282–284, 428–431; *Quiscalus mexicanus*, 197–199; *Rissa tridactyla*, 282–284; *Sialia sialis*, 575–577; *Sitta pygmaea*, 70–76; *Sterna caspia*, 339–343; *S. dougallii*, 433–438; *S. hirundo*, 433–438, 720–725; *S. paradisaea*, 282–284; *S. striata*, 282–284; *Strix uralensis*, 316–323; *Sturnella magna*, 325–328; *Troglodytes aedon*, 480–490; *Xanthocephalus xanthocephalus*, 672–679
Breeding season of *Accipiter striatus venator*, 649, 650, 651, 652, 653, 657–658; *Aegolius funereus*, 785; *Agelaius phoeniceus*, 197–199, 799–801; *Anas platyrhynchos*, 103–104, 105–108; *Fregata minor*, 255, 256; *Hirundo pyrrhonota*, 740, 741; *H. rustica*, 54–55, 59; *Lagopus lagopus*, 332–333, 336; *Lanius excubitor*, 581–582; *Parus atricapillus*, 732; *Pygoscelis adeliae*, 429; *Quiscalus mexicanus*, 197–199; *Sterna dougallii*, 434; *S. hirundo*, 720–725; *Strix uralensis*, 319; *Xanthocephalus xanthocephalus*, 674–675
Breeding success, 5, 6, 8, 21, 55–56, 57, 58, 64–65, 66, 70, 72–75, 78–86, 193–194, 201–202, 207, 255, 258, 270–271, 272, 273, 290–293, 305, 320–321, 322–323, 326–328, 334, 336, 341–343, 372–374, 429, 484–486, 489, 498–503, 536–541, 576, 642, 643, 644–645, 649, 655–656, 659–660, 674, 677, 742–743, 744, 792, 793
Breeding success of *Accipiter striatus venator*, 649, 655–656, 659–660; *Ammodramus savannarum*, 792, 793; *Bombycilla cedrorum*, 64–65, 66; *Charadrius melodus*, 270–271, 272, 273; *Chen caerulescens caerulescens*, 642, 643, 644–645; *Circus cyaneus*, 305; *Empidonax traillii*, 21; *Fregata minor*, 255, 258; *Fulmarus glacialis*, 193–194; *Gymnorhinus cyanocephalus*, 290–293; *Hirundo pyrrhonota*, 742–743, 744; *H. rustica*, 55–56, 57, 58; *Junco hyemalis*, 201–202; *Lagopus lagopus*, 334, 336; *Nymphicus hollandicus*, 536–541; *Passerina cyanea*, 372–374; *Pheucticus melanocephalus*, 5, 6, 8; *Picoides borealis*, 498–503; *Poephila guttata*, 78–86; *Pygoscelis adeliae*, 429; *Sialia sialis*, 576; *Sitta pygmaea*, 70, 72–75; *Sterna caspia*, 341–343; *Strix uralensis*, 320–321, 322–323; *Sturnella magna*, 326–328; *Troglodytes aedon*, 484–486, 489; *Xanthocephalus xanthocephalus*, 674, 677
British Columbia, 330–336
Brown, Bryan T., Steven W. Carothers, and R. Roy Johnson, Grand Canyon birds (rev.), 216–217
Brown, Charles R., and Mary Bomberger Brown, The costs and benefits of egg destruction by conspecifics in colonial Cliff Swallows, 737–748
Brown, Mary Bomberger, see Brown, Charles R., and ———
Bruner, P. L., see Pratt, H. D., et al.
Brunton, Dianne H., Energy expenditure in reproductive effort of male and female Killdeer (*Charadrius vociferus*), 553–564
Brush, Alan H., Editorials, 592, 803; reviews by, 228–229, 404–405, 606, 607, 826–828
Bubo virginianus, 98
Buckley, P. A., see Cooke, F., and ———
Bühler, Paul, Larry D. Martin, and Lawrence M. Witmer, Cranial kinesis in the late Cretaceous birds *Hesperornis* and *Parahesperornis*, 111–122
Bunting, Indigo, 149–158, 372–374, 379–383
Burger, Joanna, and Michael Gochfeld, Nest-site selection and temporal patterns in habitat use of Roseate and Common terns, 433–438; M. Gochfeld, and W. I. Boarman, Experimental evidence for sibling recognition in Common Terns (*Sterna hirundo*), 142–148; see Safina, Carl, and ———
Burtt, Edward H., Jr., An analysis of physical, physiological, and optical aspects of avian coloration with emphasis on wood-warblers (rev.), 212–214
Busto, Benjamín, see Ramo, Cristina, and ———
Buteo jamaicensis, 98
B. swainsoni, 98

Cacicus cela, 510–513
Cactospiza heliobates, 663–670
C. pallida, 663–670
Calidris canutus rufa, 439–444
C. tenuirostris, 460, 464

California, 97–100, 128–139, 177–189, 529–534
Calls (see Vocalizations)
Camarhynchus pauper, 663–670
C. psittacula, 663–670
Canvasback, 543–551
Cardinal, 773–775
Capurro, Angel, Esteban Frere, Marcelo Gandini, Patricia Gandini, Tomas Holik, Victoria Lichtschein, and P. Dee Boersma, Nest density and population size of Magellanic Penguins (*Spheniscus magellanicus*) at Cabo Dos Bahias, Argentina, 585–588
Cardinalis cardinalis, 504–513, 773–775
Carduelis pinus, 504–513
C. tristis, 379–383, 384–385, 715–719
Carey, Cynthia. see Ligon, J. David, et al.
Carlsson, Bengt-Göran, see Hörnfeldt, Birger, et al.
Carothers, Steven W., see Brown, Bryan T., et al.
Carpodacus mexicanus, 510–513, 715–719
Cary, John R., see Temple, Stanley A., and ———
Catamblyrhynchus diadema, 504–513
Catchpole, Clive K., review by, 593
Catharus fuscescens, 379–383, 756–766
C. guttatus, 756–766
C. ustulatus, 756–766
Catoptrophorus semipalmatus, 98, 99
Census methods, 296–301, 585–588
Cepphus columba, 446–451
Certhia americana, 583–584
Certhidea bifasciata, 663–670
Charadrius melodus, 260–266, 268–275, 630–636
C. vociferus, 98, 99, 553–562
Chat, Yellow-breasted, 386–390
Chauna chavaria, 452–458
Chen caerulescens caerulescens, 467–477, 639–646
C. rossii, 98, 99
Cheng Tsohsin, A synopsis of the avifauna of China (rev.), 827–828
Chickadee, Black-capped, 492–497, 583–584, 727–734; Mountain, 789–791
Chile, 779–782
Chilton, Glen, review by, 404
Chloronis riefferii, 510–513
Chlorostilbon maugaeus, 654
Christensen, S., see Hollom, P. A. D., et al.
Christidis, Leslie, Richard Schodde, and Peter R. Baverstock, Genetic and morphological differentiation and phylogeny in the Australo-Papuan scrubwrens (*Sericornis*, Acanthizidae), 616–629
Circus cyaneus, 98, 303–306
Clangula hyemalis, 98, 99
Clark, George A., Jr., reviews by, 404, 823–824
Clutch size of *Accipiter striatus venator*, 652, 653, 655, 659; *Agelaius phoeniceus*, 801; *Anas clypeata*, 164–165, 167, 168, 175; *A. discors*, 164–165, 167, 168, 175; *A. platyrhynchos*, 102–108; Anatidae, 161–168, 174–176; *Bombycilla cedrorum*, 66; *Chen caerulescens caerulescens*, 642, 643, 644–645; *Empidonax traillii*, 21; *Hirundo pyrrhonota*, 741, 742; *H. rustica*, 55; *Junco hyemalis*, 201; *Lagopus lagopus*, 332; *Lanius excubitor*, 581, 582; *Nymphicus hollandicus*, 538–539; *Passerina cyanea*, 153, 156, 157–158, *Phalacrocorax aristotelis*, 309; *Pygoscelis adeliae*, 429; *Strix uralensis*, 320, 321, 323; *Sturnella magna*, 326
Coates, Brian J., The birds of Papua New Guinea (rev.), 827
Coccothraustes vespertinus, 715–719
Coccyzus americanus, 446–451
Cockatiel, 536–541
Coereba flaveola, 298–301, 510–513, 664
Coffey, Ben B., Jr., see Hardy, John William, et al.
Colaptes auratus, 98, 446–451
Colinus virginianus, 446–451, 776–777, 778
Collias, Nicholas E., Commentary: Progressive analysis of avian vocal repertoires with special reference to the Brown Noddy, 589–590
Collopy, Michael W., In memoriam: James R. Koplin, 192; see Edwards, Thomas C., Jr., et al.
Colorado, 177–189, 492–497
Columba livia, 98, 446–451
C. squamosa, 298–301
Commentaries, Do Kirtland's Warblers migrate in one hop?, see Mayfield, Harold F.; Bird migration terminology, see Terill, Scott B., and Kenneth P. Able; Spacing behavior and population limitation in Red Grouse, see Watson, Adam, and Robert Moss; Growth-curve analysis: a critical reevaluation, see Zach, Reto; Ornithology in Central and South America: cause for optimism?, see Duffy, David Cameron; Learning to live with nature: a commendable philosophy with practical limitations, see Blokpoel, H., and G. D. Tessier; Response to H. Blokpoel and G. D. Tessier, see Southern, William E.; Progressive analysis of avian vocal repertoires with special reference to the Brown Noddy, see Collias, Nicholas E.; Female song in Willow Flycatchers, see Davis, David E.; Response to D. E. Davis, see Seutin, Gilles; Genetic distance and hybridization of Black Ducks and Mallards: a morph of a different color?, see Hepp, G. R., et al.; Response to Hepp et al., see Ankney, C. Davison, and Darrel G. Dennis; Are weekend data suspect?, see Yunick, Robert P.; Response to R. P. Yunick, see Mountjoy, D. James, and Raleigh J. Robertson
Communal breeding in *Ammodramus savannarum* 792–793; *Sitta pygmaea*, 70, 72–75; *Phoeniculus purpureus*, 125–126; *Picoides borealis*, 500
Cooke, F., and P. A. Buckley (Eds.), Avian genetics: a population and ecological approach (rev.), 818–819; D. T. Parkin, and R. F. Rockwell, Evidence of former allopatry of the two color phases of Lesser Snow Geese (*Chen caerulescens caerulescens*), 467–479; see Davies, J. Chris, et al.
Cooperative breeding (see Communal breeding)
Coot, American, 98, 99, 100
Corvus corax, 98
Cowbird, Brown-headed, 153

Crane, Sandhill, 773–775
Creeper, Brown, 583–584
Crossbill, Red, 715–719; White-winged, 370–371, 578–579, 715–719
Cruz, Alexander, see Delannoy, Carlos A., and ———
Cruz, Justine B., review by, 823
Cuculiformes, 29–34
Cuthill, Innes C., see Lohrer, Fred E., et al.
Cuthbert, Francesca J., Reproductive success and colony-site tenacity in Caspian Terns, 339–344; review by, 594–595
Cyanerpes cyaneus, 510–513
Cyclorrhynchus psittacula, 345–348, 446–451
Cygnus buccinator, 452–458
Cytology of *Colinus virginianus*, 776–777, 778

Davies, J. Chris, R. F. Rockwell, and Fred Cooke, Body-size variation and fitness components in Lesser Snow Geese (*Chen caerulescens caerulescens*), 639–648
Davis, David E., Commentary: Female song in Willow Flycatchers, 590–591
Davis, Lloyd S., Coordination of incubation routines and mate choice in Adélie Penguins (*Pygoscelis adeliae*), 428–432
Davis, William E., Jr., History of the Nuttall Ornithological Club, 1873–1986 (rev.), 813
Dee, T. J., The endemic birds of Madagascar (rev.), 820–821
de Kloet, Siwo R., see Madsen, Cort S., et al.
de Kock, Johannes M., The development of the chondrocranium of *Melopsittacus undulatus* (rev.), 404
Delannoy, Carlos A., and Alexander Cruz, Breeding biology of the Puerto Rican Sharp-shinned Hawk (*Accipiter striatus venator*), 649–662
Dendrocygna viduata, 452–458
Dendroica caerulescens, 756–766
D. coronata, 379–383
D. fusca, 756–766
D. kirtlandii, 204–205
D. striata, 504–513
D. virens, 756–766
Dennis, Darrel G., see Ankney, C. Davison, and ———
de Queiroz, Kevin, and David A. Good, the scleral ossicles of *Opisthocomus* and their phylogenetic significance, 29–35
Derrickson, Kim C., review by, 822–823
DeSante, David F., see Pyle, Peter, et al.
Desrochers, André, Susan J. Hannon, and Kelly E. Nordin, Winter survival and territory acquisition in a northern population of Black-capped Chickadees, 727–736
Diglossa albilatera, 510–513
D. lafresnayii, 510–513
Diseases and parasites of *Accipiter striatus venator*, 649, 656; *Hirundo rustica*, 54, 56, 57–58
Distribution of Andean birds, 47–51; *Charadrius melodus*, 260, 261, 630–636; *Chen caerulescens caerulescens*, 467–477; *Larus occidentalis*, 128–139; *Pheucticus melanocephalus*, 4–5; *Porzana tabuensis*, 391; *Sericornis* spp., 617, 619–627; *Uria aalge*, 346; *U. lomvia*, 346; Vulturidae, 529, 531, 532–534
Distribution, spatial, 4–5, 47–51, 254, 346, 585–588
Diuca diuca, 510–513
Dove, Rock, 98; Zenaida, 654
Dowitcher, Long-billed, 516–526; Short-billed, 516–526
Drilling, Nancy E., and Charles F. Thompson, Natal and breeding dispersal in House Wrens (*Troglodytes aedon*), 480–491
Duck, American Black, 804–806, 807; Freckled, 452–458; Ruddy, 98, 99, 452–458; Wood, 452–458
Duffy, David Cameron, Commentary: Ornithology in Central and South America: cause for optimism?, 395–396
Dunn, Pete, David Sibley, and Clay Sutton, Hawks in flight (rev.), 826–827
Dunning, John B., Jr., review by, 216–217
Dyck, Jan, review by, 212–214

Eagle, Golden, 793–795
Ecology, breeding communities, 433–438; community structure, 97–100, 346–347, 350–362, 583–584, 756–766; competition, 257, 350–362; demography, 207, 265, 332–333, 586–588, 794; dispersal, 47–51, 128–139, 630–636; habitat partitioning, 36–44, 350–362, 433–438, 620–622; habitat selection, 39, 41, 43, 434–438; population structure, 585–588, 729–731; predator-prey relationships, 244–250, 305–306, 346–348, 720–725, 764, 794–795; seasonal variation, 106–108, 128–139, 244–250, 374–377; territoriality, 17–25, 36–44
Ecology of *Anas platyrhynchos*, 106–108; *Aquila chrysaetos*, 794–795; *Catharus fuscescens*, 756–766; *C. guttatus*, 756–766; *C. ustulatus*, 756–766; *Charadrius melodus*, 265, 630–636; *Dendroica caerulescens*, 756–766; *D. fusca*, 756–766; *D. virens*, 756–766; *Empidonax minimus*, 350–362, 756–766; *E. traillii*, 17–25; *Falco sparvarius*, 36–44; *Hylocichla mustelina*, 756–766; *Junco hyemalis*, 756–766; *Larus occidentalis*, 128–139; *Pandion haliaetus*, 244–250; *Pheucticus ludovicianus*, 756–766; *Picoides pubescens*, 756–766; *P. villosus*, 756–766; *Piranga olivacea*, 756–766; *Pinguinus impennis*, 694–695; *Rissa tridactyla*, 345–348; *Seiurus aurocapillus*, 756–766; *Sericornis* spp. 620–622; *Setophaga ruticilla*, 350–362, 756–766; *Sitta carolinensis*, 756–766; *Sphyrapicus varius*, 756–766; *Sterna dougallii*, 433–438; *S. hirundo*, 433–438, 720–725; *Strix uralensis*, 316–323; *Thryothorus ludovicianus*, 11–16; *Troglodytes troglodytes*, 756–766; *Turdus migratorius*, 374–377; *Uria aalge*, 345–348; *U. lomvia*, 345–348; *Vireo olivaceus*, 756–766
Editorials, K. Elizabeth K. Pacala, 592; Letter of transmittal, 803
Edwards, Thomas C., Jr., Temporal variation in prey preference patterns of adult Ospreys, 244–251;

Michael W. Collopy, Karen Steenhof, and Michael N. Kochert, Sex ratios of fledgling Golden Eagles, 793–796
Eggs, 102–108, 161–168, 174–176, 308–314, 652, 653, 737–747; composition, 105, 106; density, specific gravity, and volume, 309; destruction of, 737–747; laying, 102–108, 319, 330, 332–336, 538, 540–541, 652, 741
Eggs, descriptions and measurements, *Accipiter striatus venator*, 652, 653; *Anas clypeata*, 164–165, 167, 168, 175; *A. discors*, 164–165, 167, 168, 175; *A. platyrhynchos*, 104–105, 106; Anatidae, 161–168, 174–176; *Phalacrocorax aristotelis*, 308–314
Eldridge, Jan L., and Gary L. Krapu, The influence of diet quality on clutch size and laying pattern in Mallards, 102–110
Emerson, W. B., C. M. Beardsell, R. I. Normand, and R. H. Lyon, Atlas of Victoria birds (rev.), 606
Empidonax alnorum, 235–241
E. difficilis, 177–189
E. minimus, 350–362, 756–766
E. traillii, 17–25, 27–28, 235–241, 590–591
Emslie, Steven D., An early condor-like vulture from North America, 529–535
Endangered species, 433–438, 498–503
Engbring, John, and Andrew Engilis Jr., Rediscovery of the Sooty Rail (*Porzana tabuensis*) in American Samoa, 391
Engilis, Andrew, Jr., see Engbring, John, and ———
Environment, influence on *Accipiter striatus venator*, 657; *Anas platyrhynchos*, 106–108; Andean birds, 47–51; *Catharus guttatus*, 765; *C. ustulatus*, 765; *Certhia americana*, 583–584; *Chen caerulescens caerulescens*, 644; *Empidonax minimus*, 765; *Hylocichla mustelina*, 765; *Junco hyemalis*, 765; *Lagopus lagopus*, 330–336; *Parus atricapillus*, 583–584; *Picoides pubescens*, 583–584, 765; *P. villosus*, 583–584, 765; *Piranga olivacea*, 765; *Regulus satrapa*, 583–584; *Sitta carolinensis*, 583–584, 765; *S. pygmaea*, 75; *Sterna hirundo*, 725; *Strix uralensis*, 316–323; *Tachycineta bicolor*, 712; *Thryothorus ludovicianus*, 11–16; *Troglodytes troglodytes*, 765
Eudyptes chrysocome, 796–799
E. chrysolophus, 446–451
E. crestatus, 446–451
Evolution, molecular, 565–572
Evolution of communal breeding, 75–76; cranial kinesis, 111–120; flightlessness, 692–695; mating systems, 292, 294, 325, 328; phenotypic variation, 639–646; timing of hatching, 313–314; wing structure, 446–451
Evolution of *Empidonax difficilis*, 188–189; *Sericornis* spp. 623–627

Falco sparverius, 36–44, 98
Feathers (see Molts and plumages)
Finch, Black, 663–670; Cocos, 663–670; House, 715–719; Plush-capped, 504–513; Warbler, 663–670; Zebra, 78–86
Finches, Darwin's, 663–670
Finfoot, African, 773–775; Asiatic, 773–775
Finland, 316–323
Fitzpatrick, Lloyd C., see Guerra, Carlos G., et al.
Fledging, success of (see Breeding success)
Flicker, Northern, 98
Florida, 36–44, 244–250, 439–444
Flycatcher, Alder, 235–241; Least, 350–362, 756–766; Western, 177–189; Willow, 17–25, 27–28, 235–241, 590–591
Food and feeding habits of *Accipiter striatus venator*, 652, 653, 654, 658–659; *Aethia cristatella*, 345–348; *A. pusilla*, 345–348; *Anas platyrhynchos*, 102–108; *Agelaius phoeniceus*, 799–801; *Ammodramus savannarum*, 792–793; *Carduelis tristis*, 384–385, 715–719; *Carpodacus mexicanus*, 715–719; *Chen caerulescens caerulescens*, 470–471; *Circus cyaneus*, 304; *Coccothraustes vespertinus*, 715–719; *Cyclorrhynchus psittacula*, 345–348; *Empidonax traillii*, 22–25; *Fratercula corniculata*, 345–348; *Fulmarus glacialis*, 345–348; *Larus occidentalis*, 133–138; *Loxia curvirostra*, 715–719; *L. leucoptera*, 370–371, 578–579, 715–719; *Pandion haliaetus*, 244–250; *Parus atricapillus*, 492–497; *Phalaropus fulicaria*, 345–348; *Pygoscelis adeliae*, 428–431; *Rissa tridactyla*, 345–348; *Sterna hirundo*, 720–725; *Thryothorus ludovicianus*, 14–15; *Turdus migratorius*, 374–377; *Uria aalge*, 345–348; *U. lomvia*, 345–348
Foraging (see Food and feeding habits; Behavior, feeding)
Ford, Hugh A., see Lohrer, Fred E., et al.
Ford, Norman L., review by, 824–825
Fossils, 97, 99–100, 111–120, 529–534
Fossils of ***Hadrogyps aigialeus***, 529–534; *Hesperornis*, 111–120; *Parahesperornis*, 111–120
Fraser, Conon, Beyond the Roaring Forties: New Zealand's subantarctic islands (rev.), 228–229
Fraser, James D., review by, 819–820
Fratercula cirrhata, 446–451
F. corniculata, 345–348, 446–451
Fregata ariel, 255
F. magnificens, 98, 99
F. minor, 252–258
Frere, Esteban, see Capurro, Angel, et al.
Frigatebird, Great, 252–258; Lesser, 255; Magnificent, 98, 99
Fringilla coelebs, 504–513
Fry, C. Hilary, see Urban, Emil K., et al.
Fulica americana, 98, 99, 100
Fulmar, Northern, 193–194, 345–348
Fulmarus glacialis, 193–194, 345–348

Galápagos, 663–670
Galliformes, 29–34
Gandini, Marcelo, see Capurro, Angel, et al.
Gandini, Patricia, see Capurro, Angel, et al.
Gaston, Anthony J., review by, 601–602

Gavia arctica, 98, 99
G. immer, 98, 99, 100, 114
Genetic variation (see Genetics, genetic variation)
Genetics, 177–189, 235–241, 260–266, 386–390, 409–414, 444, 452–458, 467–469, 472–477, 479, 504–513, 516–526, 616–627, 639–641, 643–646, 773–775, 804–806, 807; DNA-DNA hybridization, 409–414, 452–458, 504–513, 773–775; gene flow, 50, 177, 183–184, 185, 188, 260, 265, 444, 467–468, 472–477, 622, 646; genetic variation, 177–189, 235–241, 260–266, 516–526, 804–806, 807
Genetics of *Aix sponsa*, 452–458; *Anas bahamensis*, 452–458; *A. platyrhynchos*, 452–458, 804–806, 807; *A. rubripes*, 804–806, 807; *Anser indicus*, 452–458; *Anseranas semipalmata*, 452–458; *Aythya nyroca*, 452–458; *Branta ruficollis*, 452–458; *Cacicus cela*, 510–513; *Calidris canutus rufa*, 444; *Cardinalis cardinalis*, 504–513, 773–775; *C. pinus*, 504–513; *Carpodacus mexicanus*, 510–513; *Catamblyrhynchus diadema*, 504–513; *Charadrius melodus*, 260–266; *Chauna chavaria*, 452–458; *Chen caerulescens caerulescens*, 467–469, 472–477, 479, 639–641, 643–646; *Chloronis riefferii*, 510–513; *Coereba flaveola*, 510–513; *Cyanerpes cyaneus*, 510–513; *Cygnus buccinator*, 452–458; *Dendrocygna viduata*, 452–458; *Dendroica striata*, 504–513; *Diglossa albilatera*, 510–513; *D. lafresnayii*, 510–513; *Diuca diuca*, 510–513; *Empidonax alnorum*, 235–241; *E. difficilis*, 177–189; *E. traillii*, 235–241; *Fringilla coelebs*, 504–513; *Geothlypis trichas*, 386–390; *Grus canadensis*, 773–775; *Gymnomystax mexicanus*, 510–513; *Heliopais personata*, 773–775; *Helmitheros vermivorus*, 510–513; *Himatione sanguinea*, 510–513; *Icteria virens*, 386–390; *Junco hyemalis*, 504–513; *Leucosticte arctoa*, 510–513; *Limnodromus griseus*, 516–526; *L. scolopaceus*, 516–526; *Lophodytes cucullatus*, 452–458; *Myioborus miniatus*, 510–513; *Neochen jubata*, 452–458; *Nephelornis oneilli*, 504–513; *Oxyura jamaicensis*, 452–456; *Parus bicolor atricristatus*, 516–526; *P. b. bicolor*, 516–526; *Pinicola enucleator*, 510–513; *Podica senegalensis*, 773–775; *Pooecetes gramineus*, 504–513; *Psarocolius angustifrons*, 504–513; *Quiscalus major*, 516–526; *Q. mexicanus*, 516–526; *Rallus elegans*, 516–521, 523–526; *R. longirostris*, 516–521, 523–526; *Regulus calendula*, 386–390; *R. satrapa*, 386–390; *Sericornis* spp., 616–627; *Sialia sialis*, 576, 577; *Sicalis luteola*, 504–513; *Spizella arborea*, 510–513; *Stictonetta naevosa*, 452–458; *Tachyphonus rufus*, 504–513; *Tersina viridis*, 504–513; *Troglodytes aedon*, 386–390; *Urothraupis stolzmanni*, 510–513
Geospiza conirostris, 663–670
G. difficilis, 663–670
G. fortis, 663–670
G. magnirostris, 663–670
Geothlypis trichas, 386–390
Gill, Frank B., review by, 810–811
Gochfeld, Michael, see Burger, Joanna, and ———; see Burger, Joanna, et al.
Godwit, Marbled, 98
Golden-Plover, Lesser, 460–465
Goldfinch, American, 379–383, 384–385, 715–719
Good, David A., see de Queiroz, Kevin, and ———
Goose, Bar-headed, 452–458; Canada, 98, 99, 749–754; Lesser Snow, 467–477, 639–646; Magpie, 452–458; Orinoco, 452–458; Ross', 98, 99
Gori, David F., Adjustment of parental investment with mate quality by male Yellow-headed Blackbirds (*Xanthocephalus xanthocephalus*), 672–680
Gowaty, Patricia Adair, see Plissner, Jonathan H., and ———
Grackle, Boat-tailed, 516–526; Common, 379–383; Great-tailed, 197–199, 516–526
Gracula religiosa, 446–451
Grant, Peter R., Ecology and evolution of Darwin's finches (rev.), 602–603
Grassquit, Blue-black, 663–670
Grau, C. R., see Myers, S. A., et al.
Graves, Gary R., Linearity of geographic range and its possible effect on the population structure of Andean birds, 47–52
Grebe, Eared, 97–100; Horned, 98, 99; Pied-billed, 98, 99; Western, 98, 99
Greenbaum, Ira F., see Hale, David W., et al.
Grosbeak, Black-headed, 1–9; Evening, 715–719; Rose-breasted, 756–766
Grouse, Red, 207
Growth and development of *Accipiter striatus venator*, 652–655, 658; *Chen caerulescens caerulescens*, 639–646; *Larus modestus*, 779–782; *Phalacrocorax aristotelis*, 310–311, 313; *Poephila guttata*, 80–86; *Sturnella magna*, 326, 327; *Tyto alba*, 699–704
Grus canadensis, 773–775
Guam, 460–465
Guerra, Carlos G., Lloyd C. Fitzpatrick, and Roberto E. Aguilar, Influence of desert nesting and foraging distance on growth rates in Gray Gulls (*Larus modestus*), 779–783
Gull, California, 97–100; Glaucous-winged, 282–284; Gray, 779–782; Herring, 341; Ring-billed, 98, 99, 100, 282–284, 341, 379–383, 396–397, 398; Western, 128–139, 141
Güntert, Marcel, see Sydeman, William J., et al.
Guttman, Sheldon I., see Ingold, James L., et al.
Gymnomystax mexicanus, 510–513
Gymnorhinus cyanocephalus, 286–294

Habitat of *Catharus ustulatus*, 765; *Charadrius melodus*, 268–269; *Empidonax minimus*, 764–765; *E. traillii*, 18; *Falco sparverius*, 36, 38, 40, 41; *Hylocichla mustelina*, 765; *Pheucticus melanocephalus*, 3–4; *Porzana tabuensis*, 391; *Setophaga ruticilla*, 765; *Sitta pygmaea*, 72, 75; *Sterna dougallii*, 433–438; *S. hirundo*, 433–438
Hadrogyps aigialeus, 529–534
Hagan, John M., and J. Michael Reed, Red color bands reduce fledging success in Red-cockaded Woodpeckers, 498–503; see Harrington, Brian A., et al.
Haig, Susan M., and Lewis W. Oring, Genetic differ-

entiation of Piping Plovers across North America, 260–267; and Lewis W. Oring, Mate, site, and territory fidelity in Piping Plovers, 268–277; and Lewis W. Oring, Distribution and dispersal in the Piping Plover, 630–638
Hale, David W., Elizabeth J. Ryder, Philip D. Sudman, and Ira F. Greenbaum, Application of synaptonemal complex techniques for determination of diploid number and chromosomal morphology in birds, 776–779
Hamel, Paul B., Bachman's Warbler, a species in peril (rev.), 222–223
Hamerstrom, Frances, Harrier: hawk of the marshes (The hawk that is ruled by a mouse) (rev.), 214–215
Hamner, William M., see Hunt, George L., Jr., et al.
Hand, Judith Latta, William E. Southern, and Kees Vermeer (Eds.), Ecology and behavior of gulls (rev.), 601–602
Hannon, Susan J., Kathy Martin, and Jim O. Schieck, Timing of reproduction in two populations of Willow Ptarmigan in northern Canada, 330–338; see Desrochers, André, et al.
Hardy, John William, Voices of all the mockingbirds, thrashers and their allies—family Mimidae (rev.), 822–823; G. B. Reynard, and B. B. Coffey Jr., Voices of the New World cuckoos and trogons. Cuculidae and Trogonidae (rev.), 824
Haresign, Tim, and Andrew Moiseff, Early growth and development of the Common Barn-Owl's facial ruff, 699–705
Harman, Ian, Australian parrots in bush and aviary (rev.), 405
Harrier, Northern, 98, 303–306
Harrington, Brian A., John M. Hagan, and Linda E. Leddy, Site fidelity and survival differences between two groups of New World Red Knots (*Calidris canutus*), 439–445
Harrison, Greg J., and Linda R. Harrison (Eds.), Clinical avian medicine and surgery (rev.), 604–605
Harrison, Linda R., see Harrison, Greg J., and ———
Harrison, Nancy M., see Hunt, George L., Jr., et al.
Harwood, M. (Ed.), Proceedings of hawk migration conference IV (rev.), 225–227
Hatch, Scott A., Testing for individual variation in breeding success, 193–194
Hatching, success of (see Breeding success)
Hatching, timing of, 78–86, 200–202, 255, 308–314, 330, 332–333, 336, 581, 582, 652, 653
Hawk, Red-tailed, 98; Sharp-shinned, 649–660; Swainson's, 98
Hawk-Owl, Northern, 732
Heliopais personata, 773–775
Heinrich, Bernd, One man's owl (rev.), 404–405
Helmitheros vermivorus, 510–513
Hepp, G. R., J. M. Novak, K. T. Scribner, and P. W. Stangel, Commentary: Genetic distance and hybridization of Black Ducks and Mallards: a morph of a different color?, 804–807
Hesperornis, 111–120
Hesperornis regalia, 114, 115, 118
Hill, D. J., Breeding and management in birds of prey (rev.), 811–812
Hill, Geoffrey E., The function of delayed plumage maturation in male Black-headed Grosbeaks, 1–10
Himantopus mexicanus, 98, 99
Himatione sanguinea, 510–513
Hirundo pyrrhonota, 737–747
H. rustica, 53–59
Hixon, Mark A., review by, 813–815
Hoatzin, 29–34
Holik, Tomas, see Capurro, Angel, et al.
Hollom, P. A. D., R. F. Porter, S. Christensen, and Ian Willis, Birds of the Middle East and North Africa: a companion guide (rev.), 823–824
Holmes, Richard T., and Thomas W. Sherry, Assessing population trends of New Hampshire forest birds: local vs. regional patterns, 756–768; see Sherry, Thomas W., and ———
Hörnfeldt, Birger, Bengt-Göran Carlsson, and Åke Nordström, Molt of primaries and age determination in Tengmalm's Owl (*Aegolius funereus*), 783–789
Houde, Peter, review by, 211–212; and Michael J. Braun, Museum collections as a source of DNA for studies of avian phylogeny, 773–776
Houston, C. Stuart, In memoriam: Robert S. Arbib Jr., 1915–1987, 369; In memorian: Hans Albert Hochbaum, 769–770; review by, 815–816
Howell, Steve N. G., see Pyle, Peter, et al.
Howell, Thomas R., see Rothstein, Stephen I., et al.
Hummingbird, Emerald, 654
Hunt, George L., Jr., Nancy M. Harrison, William M. Hamner, and Bryan S. Obst, Observations of a mixed-species flock of birds foraging on euphausiids near St. Matthew Island, Bering Sea, 345–349
Hybrids and hybridization of *Anas platyrhynchos* × *A. rubripes*, 805–806, 807; *Chen caerulescens caerulescens*, 471–472, 475–477; *Empidonax alnorum* × *E. traillii*, 235–241; *Parus bicolor atricristatus* × *P. b. bicolor*, 522; *Quiscalus major* × *Q. mexicanus*, 522; *Rallus elegans* × *R. longirostris*, 517
Hylocichla mustelina, 392–393, 446–451, 756–766

Icteria virens, 386–390
Icterus galbula, 379–383
Idaho, 793–795
Illinois, 480–490
Incubation and incubation period of *Accipiter striatus venator*, 649, 652; *Charadrius melodus*, 270; *Fregata minor*, 257; *Nymphicus hollandicus*, 539; *Pygoscelis adeliae*, 428–431
Ingermann, Rolf L., see Metcalfe, James, et al.

Ingold, James L., Lee A. Weigt, and Sheldon I. Guttman, Genetic differentiation between North American kinglets and comparisons with three allied passerines, 386–390
Iowa, 543–551
Islands, biogeography, 164, 165, 167, 168
Isler, Morton L., and Phyllis R. Isler, The tanagers: natural history, distribution and identification (rev.), 607
Isler, Phyllis R., see Isler, Morton L., and ———
Israel, 580–581, 581–582

Jackson, Wendy M., Sievert Rohwer, and Robin L. Winnograd, Status signaling is absent within age-and-sex classes of Harris' Sparrows, 424–427
James, Frances C., review by, 227–228
Janssen, Robert B., Birds in Minnesota (rev.), 825
Jay, Pinyon, 286–294
Jehl, Joseph R., Jr., The beached-bird assemblage of a highly saline lake and its relevance for reconstructing paleoenvironments, 97–101; review by, 593–594
Johnsgard, Paul A., Birds of the Rocky Mountains (rev.), 228; Diving birds of North America (rev.), 809–810
Johnson, Ned K., and Jill A. Marten, Evolutionary genetics of flycatchers. II. Differentiation in the *Empidonax difficilis* complex, 177–191
Johnson, R. Roy, see Brown, Bryan T., et al.
Johnston, Richard F. (Ed.), Current ornithology, vol. 4 (rev.), 810–811
Junco, Dark-eyed, 200–202, 756–766
Junco hyemalis, 200–202, 504–513, 756–766

Kallman, Harmon (Ed.), Restoring America's wildlife (rev.), 595–596
Kansas, 111–120, 424–427
Kaspari, Michael, and Helen O'Leary, Nonparental attendants in a north-temperate migrant, 792–793
Kastner, Joseph, A world of watchers (rev.), 223–225
Kavanau, J. Lee, Lovebirds, cockatiels, budgerigars: behavior and evolution (rev.), 603–604
Keith, Stuart, see Urban, Emil K., et al.
Kemp, A. C., see Tarboton, W. R., et al.
Kemp, M. I., see Tarboton, W. R., et al.
Kepler, Cameron, see Scott, J. Michael, et al.
Kestrel, American, 36–44, 98
Kiff, Lloyd F., review by, 220–221
Killdeer, 98, 99, 553–562
King, Warren B., review by, 820–821
Kinglet, Golden-crowned, 386–390, 583–584; Ruby-crowned, 386–390
Kingbird, Grey, 654
Kittiwake, Black-legged, 282–284, 345–348
Klein, Bert C., Weather-dependent mixed-species flocking during the winter, 583–584
Knapton, Richard W., Nesting success is higher for polygynously mated females than for monogamously mated females in the Eastern Meadowlark, 325–329
Knot, Red, 439–444; Great, 460, 464
Kochert, Michael N., see Edwards, Thomas C., Jr., et al.
Krapu, Gary L., see Eldridge, Jan L., and ———
Krebs, J. R., see Sterling, D. W., and ———
Kroodsma, Donald E., review by, 607

Lagopus lagopus, 330–336
L. l. scoticus, 207
Lanius excubitor, 580–581, 581–582, 732
Lanyon, Scott M., The stochastic mode of molecular evolution: what consequences for systematic investigations?, 565–573; review by, 215–216
Larus argentatus, 341
L. californicus, 97–100
L. delawarensis, 98, 99, 100, 341, 379–383, 396–397, 398
L. glaucescens, 282–284
L. modestus, 779–782
L. novaehollandiae, 282–284
L. occidentalis, 128–139, 141, 446–451
Leddy, Linda E., see Harrington, Brian A., et al.
Lein, M. Ross, editor of book reviews, 211–229, 399–405, 593–607, 809–828
Lemon, R. E., see Shackell, N. L., et al.
Leucosticte arctoa, 510–513
Lichtschein, Victoria, see Capurro, Angel, et al.
Ligon, J. David, Cynthia Carey, and Sandra H. Ligon, Cavity roosting, philopatry, and cooperative breeding in the Green Woodhoopoe may reflect a physiological trait, 123–127
Ligon, Sandra H., see Ligon, J. David, et al.
Limnodromus griseus, 516–526
L. scolopaceus, 516–526
Limosa fedoa, 98
Livezey, Bradley C., Morphometrics of flightlessness in the Alcidae, 681–698
Lohrer, Fred E., David A. Widenfeld, Hugh A. Ford, and Innes C. Cuthill, editors of *Recent Ornithological Literature*, 1A–31A, 1B–38B, 1C–39C, 1D–35D
Longevity (see Mortality and survival)
Loon, Arctic, 98, 99; Common, 98, 99
Lophodytes cucullatus, 452–458
Louisiana, 516–526
Lovvorn, James R., and Jeb A. Barzen, Molt in the annual cycle of Canvasbacks, 543–552
Lowrie, J. K. (Ed.), Records of the Australian Museum (1985), volume 37, Nos. 3, 4 (rev.), 211–212
Loxia curvirostra, 715–719
L. leucoptera, 370–371, 578–579, 715–719
Lyon, G. L., see Moors, P. J., et al.
Lyon, R. H., see Emerson, W. B., et al.

Madsen, Cort S., Kevin McHugh, and Siwo R. de Kloet, A partial classification of waterfowl (Anatidae) based on single-copy DNA, 452–459

Mallard, 98, 99, 102–108, 452–458, 804–806, 807
Mancalla californiensis, 681–695
M. cedrosensis, 681–695
M. diegensis, 681–695
M. emlongi, 681–695
M. milleri, 681–695
Manitoba, 53–59, 162, 164–165, 167, 168, 260–266, 268–275, 543–551, 578–579, 630–636, 639–646
Mantych, Mark D., see Baker, Myron Charles, et al.
Marcström, Vidar, see Willebrand, Tomas, and ———
Marten, Jill A., see Johnson, Ned K., and ———
Martin, Brian R., World birds (rev.), 405
Martin, Kathy, see Hannon, Susan J., et al.
Martin, Larry D., review by, 596–597; see Bühler, Paul, et al.
Marzluff, John M., and Russell P. Balda, The advantages of, and constraints forcing, mate fidelity in Pinyon Jays, 286–295
Mass and measurements of *Accipiter striatus venator*, 654, 655; *Aegolius funereus*, 784; *Alca torda*, 684, 686, 687; *Anas platyrhynchos*, 103, 108; Anatidae, 174–176; *Calidris canutus*, 441, 442; *Carduelis tristis*, 716; *Carpodacus mexicanus*, 716; *Cepphus grylle*, 684, 686, 687; *Chen caerulescens caerulescens*, 645, 656; *Coccothraustes vespertinus*, 716; ***Hadrogyps aigialeus***, 530; *Hirundo rustica*, 58; *Lagopus lagopus*, 333, 334, 335; *Larus modestus*, 780–781; *Loxia curvirostra*, 716; *L. leucoptera*, 716; *Mancalla cedrosensis*, 686, 687, 692; *M. diegensis*, 686, 687, 692; *M. emlongi*, 686, 687, 692; *M. milleri*, 686, 687, 692; *Phalacrocorax aristotelius*, 309, 310, 311; *Pheucticus melanocephalus*, 3, 4; *Phoeniculus purpureus*, 124; *Pinguinus impennis*, 684, 686, 687; *Pliogyps charon*, 530; *Poephila guttata*, 80, 81–84; *Praemancalla* spp., 686, 687, 692; *Sarcoramphus papa*, 530; *Sialia sialis*, 576; *Strix uralensis*, 319–320; *Sturnella magna*, 327, 328; *Tachycineta bicolor*, 708, 709; *Tyto alba*, 701–702, 703; *Uria aalge*, 684, 686, 687; *Xanthocephalus xanthocephalus*, 674, 675
Massachusetts, 439–444
Mating systems of *Charadrius melodus*, 268–275; *C. vociferus*, 561–562; *Circus cyaneus*, 303–306; *Gymnorhinus cyanocephalus*, 286–294; *Lanius excubitor*, 581–582; *Passerina cyanea*, 149–158, 372–374; *Sitta pygmaea*, 72; *Sturnella magna*, 325–328
Mayfield, Harold F., Commentary: Do Kirtland's Warblers migrate in one hop?, 204–205
McGillivray, W. Bruce, review by, 602–603
McHugh, Kevin P., see Madsen, Cort S., et al.
McKinney, Frank, review by, 812–813
Meadowlark, Eastern, 325–328
Measurements (see Mass and ———)
Mees, G. F., In Memoriam: François Haverschmidt, 1906–1987, 368–369
Megadyptes antipodes, 282–284
Melanerpes formicivorus, 73
Melanitta nigra, 446–451
Melanospiza richardsoni, 663–670
Memorial of Sálim Ali, 772; Robert S. Arbib Jr., 369; Donald Louis Bleitz, 192; John Davis, 770–771; Sir Charles Fleming, 574; Herbert Friedman, 365–368; François Haverschmidt, 368–369; Hans Albert Hochbaum, 769–770; James R. Koplin, 192
Mengel, Robert M., review by, 223–225
Merganser, Hooded, 452–458
Metabolism of *Tachycineta bicolor*, 706–712
Metcalfe, James, Michael K. Stock, and Rolf L. Ingermann (Eds.), Development of the avian embryo (rev.), 597–598
Michigan, 149–158, 339–343, 372–374, 553–562
Middleton, Alex L. A., see Prescott, David R. C., and ———
Migration and orientation, 39, 44, 204–205, 205–206, 439–444, 460–465, 472, 544
Migration and orientation of *Arenaria interpres*, 460–464; *Aythya valisineria*, 544; *Calidris canutus rufa*, 439–444; *C. tenuirostris*, 460, 464; *Chen caerulescens caerulescens*, 472; *Dendroica kirtlandii*, 204–205; *Falco sparverius*, 39, 44; *Pluvialis dominica fulva*, 460–464
Millam, J. R., see Myers, S. A., et al.
Minnesota, 260–266, 630–636
Moiseff, Andrew, see Haresign, Tim, and ———
Molothrus ater, 153
Molts and plumages of *Accipiter striatus venator*, 652–653, 655, 657; *Aegolius funereus*, 783–788; *Aythya valisineria*, 543–551; *Bombycilla cedrorum*, 61–68, 808; *Camarhynchus parvulus*, 664–666; *Chen caerulescens caeulescens*, 467–477; Darwin's finches, 664–666; *Falco sparverius*, 44; *Melanospiza richardsoni*, 665–666; *Pheucticus melanocephalus*, 1–9; *Tiaris bicolor*, 665–666; *T. olivacea*, 665–666; *Tyto alba*, 699–704; *Volatinia jacarina*, 665–666; *Zonotrichia querula*, 424–427
Monroe, Burt L., Jr., see Sibley, Charles G., et al.
Moors, P. J., T. W. Speir, and G. L. Lyon, Soil analyses and $^{13}C/^{12}C$ ratios identify sites of deserted Rockhopper Penguin colonies, 796–799
Morrison, Michael L., see Verner, Jared, et al.
Mortality and survival of *Accipiter striatus venator*, 649, 656, 659, 660; *Actitis macularia*, 98, 99; *Aechmophorus occidentalis*, 98, 99; *Anas acuta*, 98, 99; *A. clypeata*, 98, 99; *A. platyrhynchos*, 98, 99, 108; *Brachyramphus marmoratus*, 98, 99; *Branta canadensis*, 98, 99; *Bubo virginianus*, 98; *Buto jamaicensis*, 98; *B. swainsoni*, 98; *Calidris canutus rufa*, 439, 441–444; *Cataptrophorus semipalmatus*, 98, 99; *Charadrius vociferus*, 98, 99, 559–560; *Chen caerulescens caerulescens*, 643; *C. rossii*, 98, 99; *Circus cyaneus*, 98; *Clangula hyemalis*, 98, 99; *Colaptes auratus*, 98; *Columba livia*, 98; *Corvus corax*, 98; *Falco sparverius*, 98; *Fregata magnificens*, 98, 99; *Fulica americana*, 98, 99; *Gavia arctica*, 98, 99; *G. immer*, 98, 99; *Gymnorhinus cyanocephalus*, 287, 289–290; *Himantopus mexicanus*, 98, 99; *Hirundo rustica*, 56, 57; *Junco hyemalis*, 201; *Larus californicus*, 98, 99; *L. delawarensis*, 98, 99; *Limosa fedoa*, 98; *Myadestes townsendi*, 99; *Nu-*

cifraga columbiana, 98; *Oxyura jamaicensis*, 98, 99; *Pandion haliaetus*, 98, 99; *Parus atricapillus*, 727–734; *Passerculus sandwichensis*, 99; *Passerina cyanea*, 372; *Phalaropus lobatus*, 98, 99; *P. tricolor*, 98, 99; *Pheucticus melanocephalus*, 8; *Phoeniculus purpureus*, 125–126; *Picoides borealis*, 501; *P. villosus*, 98; *Podiceps auritus*, 98, 99; *P. nigricollis*, 98, 99; *Podilymbus podiceps*, 98, 99; *Poephila guttata*, 80–82, 84–85; *Porzana carolina*, 98, 99; *Recurvirostra americana*, 98, 99; *Sialia sialis*, 576; *Sitta pygmaea*, 74; *Synthliboramphus antiquus*, 98; *Troglodytes aedon*, 488, 490

Moss, Robert, see Watson, Adam, and ———

Mountainspring, Stephen, see Scott, J. Michael, et al.

Mountjoy, D. James, and Raleigh J. Robertson, Why are waxwings "waxy"? Delayed plumage maturation in the Cedar Waxwing, 61–69; and Raleigh J. Robertson, Commentary: Response to R. P. Yunick, 808

Mueller, Helmut C., review by, 225–227

Muma, Katherine E., see Teather, Kevin L., et al.

Mumme, Ronald L., review by, 402–403; see Strain, Joy G., and ———

Murphy, Michael, J., review by, 597–598

Murre, Common, 345–348; Thick-billed, 345–348

Murrelet, Ancient, 98; Marbled, 98, 99, 100

Myadestes townsendi, 99

Myers, S. A., J. R. Millam, T. E. Roudybush, and C. R. Grau, Reproductive success of hand-reared vs. parent-reared Cockatiels (*Nymphicus hollandicus*), 536–542

Myioborus miniatus, 510–513

Narins, Peter M., see Waide, Robert B., and ———

Nebraska, 737–747, 792–793

Neff, Nancy, review by, 211

Nei, Masatoshi, Molecular evolutionary genetics (rev.), 399

Nelson, Bryan, Living with seabirds (rev.), 404

Neochen jubata, 452–458

Nephelornis oneilli, 504–513

Nesospingus speculiferus, 298–301

Nest and nest site of *Accipiter striatus venator*, 649, 650–652; *Agelaius phoeniceus*, 198; *Charadrius melodus*, 270; *Circus cyaneus*, 304–305; Darwin's finches, 667; *Eudyptes chrysocome*, 796–799; *Fregata minor*, 253; *Hirundo rustica*, 53–59; *Lanius excubitor*, 580; *Melanospiza richardsoni*, 667; *Nymphicus hollandicus*, 541; *Parus gambeli*, 789–791; *Quiscalus mexicanus*, 197–198; *Sarcoramphus papa*, 195–196; *Sialia mexicana*, 789–791; *Sitta carolinensis*, 789–791; *S. pygmaea*, 789–791; *Spheniscus magellanicus*, 585–588; *Sterna dougallii*, 433–438; *S. hirundo*, 433–438; *Tachycineta thalassina*, 789–791; *Tetrao tetrix*, 378–379; *Tiaris bicolor*, 667; *T. olivacea*, 667; *Volatinia jacarina*, 667

Nest parasitism, 153, 739, 740, 743–747

Nestling of *Accipiter striatus venator*, 652–654; *Larus modestus*, 779–782; *Phalacrocorax aristotelis*, 308–314; *Poephila guttata*, 78–86; *Sarcoramphus papa*, 195, 196; *Sturnella magna*, 326–327

Nethersole-Thompson, Desmond, and Maimie Nethersole-Thompson, Waders (rev.), 593–594

Nethersole-Thompson, Maimie, see Nethersole-Thompson, Desmond, and ———

Nevada, 177–189

New Brunswick, 260–266, 303–306, 609–615, 706–712

New Hampshire, 350–362, 756–766

New Jersey, 142–147, 439–444

New Mexico, 1–9

New York, 374–377, 433–438, 583–584, 715–719, 720–725, 749–754

New Zealand, 796–799

Nichol, John, The animal smugglers (rev.), 815

Noddy, Brown, 589–590

Nordin, Kelly E., see Desrochers, André, et al.

Nordström, Åke, see Hörnfeldt, Birger, et al.

Normand, R. I., see Emerson, W. B., et al.

North Carolina, 498–503, 543–551

North Dakota, 102–108, 260–266, 543–551

Norway, 308–314

Novak, J. M., see Hepp, G. R., et al.

Nucifraga columbiana, 98

Nuechterlein, Gary L., review by, 809–810

Nutcracker, Clark's, 98

Nuthatch, Pygmy, 70–76, 789–791; White-breasted, 583–584, 756–766, 789–791

Nymphicus hollandicus, 536–541

Obst, Bryan S., see Hunt, George L., Jr., et al.

Ohio, 386–390

O'Leary, Helen, see Kaspari, Michael, and ———

Oldsquaw, 98, 99

Ontario, 17–25, 61–68, 198–199, 325–328, 543–551, 578–579

Opisthocomus hoazin, 29–34

Oregon, 128–139, 177–189

Orientation (see Migration and ———)

Oring, Lewis W., see Haig, Susan M., and ———

Oriole, Northern, 379–383

Osprey, 98, 99, 244–250

Osteology of *Alca torda*, 688–689; Alcidae, 685–689; Cuculiformes, 29–34; Galliformes, 29–34; *Gavia immer*, 114; ***Hadrogyps aigialeus***, 529–531, 533–534; *Hesperornis*, 111–120 *Mancalla diegensis*, 688–689; *Opisthocomus hoazin*, 29–34; *Parahesperornis*, 111–120; *Pinguinus impennis*, 685–689; *Steatornis caripensis*, 120

Ovenbird, 756–766

Owl, Great Horned, 98; Tengmalm's, 783–788; Ural, 316–323

Owre, Oscar T., review by, 815

Oxyura jamaicensis, 98, 99, 100, 452–458

Padian, K. (Ed.), The origin of birds and the evolution of flight (rev.), 596–597

Paleontology (see Fossils)

Pandion haliaetus, 98, 99, 244–250

Papua New Guinea, 616–627

Parahesperornis, 111–120

Parasites (see Diseases and ———)
Pardusco, 504–513
Parkes, Kenneth C., review by, 598–601
Parkin, D. T., see Cooke, F., et al.
Parrish, J. R., see Senner, S. E., et al.
Parus atricapillus, 492–497, 583–584, 727–734
P. bicolor atricristatus, 516–526
P. b. bicolor, 516–526
P. gambeli, 789–791
Passer domesticus, 379–383
Passerculus sandwichensis, 99
Passerina cyanea, 149–158, 372–374, 379–383
Paul-Murphy, Joanne, review by, 604–605
Payne, Robert B., reviews by, 821–822, 825–826
Paz, Uri, The birds of Israel (rev.), 229
Pelecanoides georgicus, 446–451
P. urinatrix, 446–451
Penguin, Adélie, 278, 282–284, 428–431, Magellanic, 585–588; Rockhopper, 796–799; Yellow-eyed, 282–284
Pennsylvania, 89–95
Perrins, Christopher, see Birkhead, Mike, and ———
Peru, 47–51
Pettingill, Olin Sewall, Jr., Ornithology in laboratory and field (rev.), 594–595
Phalacrocorax aristotelis, 308–314
P. atriceps, 278, 282–284
Phalarope, Red, 345–348; Red-necked, 98, 99; Wilson's, 98, 99
Phalaropus fulicaria, 345–348
P. lobatus, 98, 99
P. tricolor, 98, 99
Pheucticus ludovicianus, 756, 766
P. melanocephalus, 1–9
Phoeniculus purpureus, 123–126
Phylogeny (see Taxonomy)
Physiology, auditory, 704; egg laying, 103, 108, 165–168, 553–562; energy cost of activities, 27–28, 550–551, 553–562, 706–712, 716–717; growth, 645, 654, 655; incubation, 553–562, 708, 710–711; metabolism, 124, 706–712; molt, 543–551, 657; nutrient reserves, 543, 547–549, 645; temperature regulation, 124–126; water balance, 710, 712
Physiology of *Anas platyrhynchos*, 103, 108; *Aythya valisineria*, 543–551; *Charadrius vociferus*, 553–562; *Chen caerulescens caerulescens*, 645; *Empidonax traillii*, 27–28; *Loxia curvirostra*, 716–717; *L. leucoptera*, 716–717; *Phoeniculus purpureus*, 124–126; *Tachycineta bicolor*, 706–712; *Tyto alba*, 704
Picoides borealis, 498–503
P. pubescens, 583–584, 756–766
P. villosus, 73, 98, 583–584, 756–766
Pietiäinnen, Hannu, Breeding season quality, age, and the effect of experience on the reproductive success of the Ural Owl (*Strix uralensis*), 316–324
Pigeon, Scaly-naped, 298–301
Pigmentation of *Bombycilla cedrorum*, 61–68, 808; *Chen caerulescens caerulescens*, 467–477
Pimm, Stuart L., review by, 400–402
Pinaroloxias inornata, 663–670
Pinguinus impennis, 681–695
Pinicola enucleator, 510–513
Pinshow, Berry, see Yosef, Reuven, and ———
Pintail, Northern, 98, 99; White-cheeked, 452–458
Piranga olivacea, 756–766
Pitelka, Frank A., review by, 403–404; see Sibley, Charles G., and ———
Platyspiza crassirostris, 663–670
Plissner, Jonathan H., and Patricia Adair Gowaty, Evidence of reproductive error in adoption of nestling Eastern Bluebirds (*Sialia sialis*), 575–578
Plover, Piping, 260–266, 268–275, 630–636
Plumages (see Molts and ———)
Pluvialis dominica fulva, 460–464
Pochard, White-eyed, 452–458
Podica senegalensis, 773–775
Podiceps auritus, 98, 99
P. nigricollis, 97–100
Podilymbus podiceps, 98, 99
Poephila guttata, 78–86
Polyandry (see Mating systems)
Polygyny (see Mating systems)
Pooecetes gramineus, 504–513
Popp, James W., Effects of food-handling time on scanning rates among American Goldfinches, 384–385
Porter, Charlotte M., The eagle's nest: natural history and American ideas, 1812–1842 (rev.), 815–816
Porter, R. F., see Hollom, P. A. D., et al.
Porzana carolina, 98, 99, 446–451
P. tabuensis, 391
Praemancalla lagunensis, 681–693
P. wetmorei, 681–693
Pratt, H. D., P. L. Bruner, and D. G. Berrett, The birds of Hawaii and the tropical Pacific (rev.), 399–400
Pratt, T. K., see Beehler, B. M., et al.
Predation by *Accipiter striatus venator*, 654–655; *Circus cyaneus*, 436; *Lanius excubitor*, 732; *Larus argentatus*, 341, 436; *L. delawarensis*, 341; *Melanerpes formicivorus*, 73; *Picoides villosus*, 73; *Surnia ulula*, 732
Predation on *Charadrius melodus*, 271, 273; *Chlorostilbon maugaeus*, 654; *Lagopus lagopus*, 334, 335–336; *Lanius excubitor*, 581; *Parus atricapillus*, 732; *Sialia sialis*, 576; *Sitta pygmaea*, 73; *Sterna caspia*, 341; *S. dougallii*, 436; *S. hirundo*, 436–437; *Tetrao tetrix*, 378–379; *Tyrannus dominicensis*, 654; *Zenaida aurita*, 654
Prescott, David R. C., and Alex L. A. Middleton, Feeding-time minimization and the territorial behavior of the Willow Flycatcher (*Empidonax traillii*), 17–28
Psarocolius angustifrons, 504–513
Ptarmigan, Willow, 330–336
Ptychoramphus aleuticus, 446–451
Puerto Rico, 296–301, 649–660
Puffin, Horned, 345–348
Pygoscelis adeliae, 278, 282–284, 428–431, 446–451
P. antarctica, 446–451

P. papua, 446–451
Pyle, Peter, Steve N. G. Howell, Robert P. Yunick, and David F. DeSante, Identification guide to North American passerines (rev.), 598–601

Quebec, 235–241, 715–719
Quiscalus major, 516–526
Q. mexicanus, 197–199, 516–526
Q. quiscula, 379–383

Raikow, Robert J., Lesley Bicanovsky, and Anthony H. Bledsoe, Forelimb joint mobility and the evolution of wing-propelled diving in birds, 446–451
Rail, Clapper, 516–521, 523–526; King, 516–521, 523–526; Sooty, 391
Rallus elegans, 516–521, 512–526
R. longirostris, 516–521, 523–526
Ralph, C. John, see Verner, Jared, et al.
Ramo, Christina, and Benjamín Busto, Observations at a King Vulture (*Sarcoramphus papa*) nest in Venezuela, 195–196
Ramphastos ambiguus, 446–451
Ramsay, Fred L., see Scott, J. Michael, et al.
Rappole, John H., see Winker, Kevin, and ———
Raveling, Dennis G., review by, 221–222
Raven, Common, 98
Razorbill, 681, 683–694
Recurvirostra americana, 98, 99, 100
Redstart, American, 350–362, 379–383, 609–615, 756–766
Reed, J. Michael, see Hagan, John M., and ———
Regulus calendula, 386–390
R. satrapa, 386–390, 583–584
Reid, Walter V., Age correlations within pairs of breeding birds, 278–285
Remsen, J. V., Jr., review by, 222–223
Reville, Barry J., Effects of spacing and synchrony on breeding success in the Great Frigatebird (*Fregata minor*), 252–259
Reynard, G. B., see Hardy, John William, et al.
Rich, P. V., and G. F. van Tets (Eds.), Kadimakara: extinct vertebrates of Australia (rev.), 211
Ripley, S. Dillon, In memoriam: Sálim Ali, 1896–1987, 772; see Ali, Sálim, and ———
Rising, J. D., review by, 217–219
Rissa tridactyla, 282–284, 345–348, 446–451
Robbins, Mark B., review by, 824
Roberts, Laurel B., and William A. Searcy, Dominance relationships in harems of female Red-winged Blackbirds, 89–96
Robertson, Raleigh J., see Mountjoy, D. James, and ———
Robin, American, 374–377
Robinson, Jane Washburn, A birder's guide to Japan (rev.), 826
Rockwell, R. F., see Cooke, F., et al.; see Davies, J. Chris, et al.
Roff, D., see Shackell, N. L., et al.
Rohwer, Frank C., Inter- and intraspecific relationships between egg size and clutch size in waterfowl, 161–176
Rohwer, Sievert, see Jackson, Wendy M., et al.
Rothstein, Stephen I., Ralph W. Schreiber, and Thomas R. Howell, In memoriam: Herbert Friedmann, 365–368
Roudybush, T. E., see Myers, S. A., et al.
Rubinstein, D. I., and R. W. Wrangham (Eds.), Ecological aspects of social evolution: birds and mammals (rev.), 403–404
Ryder, Elizabeth J., see Hale, David W., et al.
Ryder, Ronald A., review by, 228

Safina, Carl, and Joanna Burger, Prey dynamics and the breeding phenology of Common Terns (*Sterna hirundo*), 720–726
Samoa, 391
Sanderson, Glen C., and Frank C. Bellrose, A review of the problem of lead poisoning in waterfowl (rev.), 221–222
Sandpiper, Spotted, 98, 99
Sapsucker, Yellow-bellied, 383, 756–766
Sarcoramphus papa, 195–196
Saskatchewan, 260–266
Savage, Candace, Eagles of North America (rev.), 607
Schieck, Jim O., see Hannon, Susan J., et al.
Schodde, Richard, review by, 816–818; see Christidis, Leslie, et al.
Schreiber, Ralph W., see Rothstein, Stephen I., et al.
Scott, J. Michael, Stephen Mountainspring, Fred L. Ramsay, and Cameron Kepler, Forest bird communities of the Hawaiian Islands: their dynamics, ecology and conservation (rev.), 400–402
Screamer, Northern, 452–458
Scribner, K. T., see Hepp, G. R., et al.
Scrubwren, Atherton, 616–627; Brown, 616–627; Buff-faced, 616–627; Large, 616–627; Large-billed, 616–627; Olive, 616–627; Pale-billed, 616–627; Papuan, 616–627; Tropical, 616–627; Vogelkop, 616–627; White-browed, 616–627; Yellow-throated, 616–627
Searcy, William A., see Roberts, Laurel B., and ———
Seiurus aurocapillus, 756–766
S. noveboracensis, 379–383
Senner, S. E., C. M. White, and J. R. Parrish (Eds.), Raptor conservation: the next 50 years (rev.), 819–820
Sericornis arfakianus, 616–627
S. beccarii, 616–627
S. citreogularis, 616–627
S. frontalis, 616–627
S. humilis, 616–627
S. keri, 616–627
S. magnirostris, 616–627
S. nouhuysi, 616–627
S. papuensis, 616–627
S. perspicillatus, 616–627

S. rufescens, 616–627
S. spilodera, 616–627
Setophaga ruticilla, 350–362, 379–383, 609–615, 756–766
Seutin, Gilles, Commentary: Response to D. E. Davis, 591: and Jean-Pierre Simon, Genetic variation in sympatric Willow Flycatchers (*Empidonax traillii*) and Alder Flycatchers (*E. alnorum*), 235–243
Sex ratio of *Aquila chrysaetos*, 793–795; *Falco sparverius*, 38, 39, 40; *Larus occidentalis*, 132; *Parus atricapillus*, 730; *Picoides borealis*, 500, 501
Seychelles, 252–258
Shackell, N. L., R. E. Lemon, and D. Roff, Song similarity between neighboring American Redstarts (*Setophaga ruticilla*): a statistical analysis, 609–615
Shag, 308–314; Blue-eyed, 278, 282–284
Shelden, Robert J., see Baker, Myron Charles, et al.
Sheldon, Frederick H., review by, 399
Sherry, Thomas W., and Richard T. Holmes, Habitat selection by breeding American Redstarts in response to a dominant competitor, the Least Flycatcher, 350–364; see Holmes, Richard T., and ———
Shoveler, Northern, 98, 99, 164–165, 167, 168, 175
Shrike, Northern, 580–581, 581–582, 732
Shugart, Gary W., Uterovaginal sperm-storage glands in sixteen species with comments on morphological differences, 379–384
Sialia mexicana, 789–791
S. sialis, 575–577
Sibley, Charles G., Jon E. Ahlquist, and Burt L. Monroe Jr., A classification of the living birds of the world based on DNA-DNA hybridization studies, 409–423; and Frank A. Pitelka, In memoriam: John Davis, 1916–1986, 770–771
Sibley, David, see Dunn, Pete, et al.
Sicalis luteola, 504–513
Simmons, Robert, Honest advertising, sexual selection, courtship displays, and body condition of polygynous male harriers, 303–307
Simms, Eric, British warblers (rev.), 593
Simon, Jean-Pierre, see Seutin, Gilles, and ———
Sinclair, J. C., Ian Sinclair's field guide to the birds of southern Africa (rev.), 821–822
Sitta carolinensis, 583–584, 756–766, 789–791
S. pygmaea, 70–76, 789–791
Skagen, Susan Knight, Asynchronous hatching and food limitation: a test of Lack's hypothesis, 78–88
Skillicorn, Patricia, see Baker, Myron Charles, et al.
Skutch, Alexander F., Helpers at birds' nests (rev.), 402–403
Smallwood, John A., A mechanism of sexual segregation by habitat in American Kestrel (*Falco sparverius*) wintering in south-central Florida, 36–46
Smith, Kimberly G., Clutch-size dependent asynchronous hatching and brood reduction in *Junco hyemalis*, 200–203
Solitaire, Townsend's, 99
Song (see Vocalizations)
Sora, 98, 99
South Carolina, 575–577
South Dakota, 177–189
Southern, William E., Commentary: Response to H. Blokpoel and G. D. Tessier, 398; see Hand, Judith Latta, et al.
Sparrow, Grasshopper, 792–793; Harris', 424–427; House, 379–383; Savannah, 99; White-crowned, 379–383
Sparrowhawk, Eurasian, 282–284
Spear, Larry B., Dispersal patterns of Western Gulls from Southeast Farallon Island, 128–141
Spectrograms of *Coereba flaveola*, 298; *Columba squamosa*, 298; *Geospiza fortis*, 668; *G. magnirostris*, 668; *Melanospiza richardsoni*, 668; *Nesospingus speculiferus*, 298; *Platyspiza crassirostris*, 668; *Setophaga ruticilla*, 611, 614; *Spindalis zena*, 298; *Sterna hirundo*, 144; *Tiaris bicolor*, 668; *Todus mexicanus*, 298; *Vireo altiloquus*, 298; *Volatinia jacarina*, 668
Speir, T. W., see Moors, P. J., et al.
Spheniscus magellanicus, 585–588
Sphyrapicus varius, 383, 756–766
Spindalis zena, 298–301
Spizella arborea, 510–513
Sporophila aurita, 666, 667, 668
Stager, Kenneth E., In memoriam: Donald Louis Bleitz, 192
Stangel, P. W., see Hepp, G. R., et al.
Starling, European, 379–383
Statistics and analytical methods, 208–209
Status signaling, 61–68, 424–427
Status signaling of *Bombycilla cedrorum*, 61–68; *Zonotrichia querula*, 424–427
Steadman, David W., Holocene vertebrate fossils from Isla Floreana, Galápagos (rev.), 215–216; and Steven Zousmer, Galápagos: discovery on Darwin's islands (rev.), 823
Steatornis caripensis, 120
Steenhof, Karen, see Edwards, Thomas C., Jr., et al.
Stephens, D. W., and J. R. Krebs, Foraging theory (rev.), 813–815
Sterling, Keir B., review by, 813
Sterna caspia, 339–343
S. dougallii, 433–438
S. hirundo, 142–147, 433–438, 720–725
S. paradisaea, 282–284
S. striata, 282–284
Stictonetta naevosa, 452–458
Stilt, Black-necked, 98, 99
Stock, Michael K., see Metcalfe, James, et al.
Stokland, Jogeir N., and Trond Amundsen, Initial size hierarchy in broods of the Shag: relative significance of egg size and hatching asynchrony, 308–315
Stone, Eric, see Baker, Myron Charles, et al.
Strain, Joy G., and Ronald L. Mumme, Effects of food

supplementation, song playback, and temperature on vocal territorial behavior of Carolina Wrens, 11–16
Strix uralensis, 316–323
Stuart, S. N. (Ed.), Conservation of Cameroon montane forests (rev.), 820–821
Sturnella magna, 325–328
Sturnus vulgaris, 379–383
Sudman, Philip D., see Hale, David W., et al.
Sutton, Clay, see Dunn, Pete, et al.
Surnia ulula, 732
Swallow, Barn, 53–59; Cliff, 737–747; Tree, 379–383; Violet-Green, 789–791
Swallow-Tanager, 504–513
Swan, Trumpeter, 452–458
Sweden, 378–379, 783–788
Sydeman, William J., Marcel Güntert, and Russell P. Balda, Annual reproductive yield in the cooperative Pygmy Nuthatch (*Sitta pygmaea*), 70–77
Synthliboramphus antiquus, 98, 446–451
Szöke, Peter, The unknown music of birds (rev.), 607

Tachycineta bicolor, 379–383, 706–712
T. thalassina, 789–791
Tachyphonus rufus, 504–513
Tanager, Puerto Rican, 298–301; Scarlet, 756–766; Stripe-headed, 298–301
Tarboton, W. R., M. I. Kemp, and A. C. Kemp, Birds of the Transvaal (rev.), 825–826
Taxonomy, 34, 177, 184–187, 189, 389–390, 392–393, 409–422, 477, 526, 565–572, 616–627
Taxonomy of *Anas platyrhynchos*, 804–806, 807; *A. rubripes*, 804–806, 807; Anatidae, 452–458; *Cacicus cela*, 504, 511–513; *Cardinalis cardinalis*, 504, 508–513; *C. pinus*, 504, 508–513; *Carpodacus mexicanus*, 504, 511–513; *Catamblyrhynchus diadema*, 504, 508–513; *Chen caerulescens caerulescens*, 477; *Chloronis riefferii*, 504, 511–513; *Coereba flaveola*, 504, 511–513, 664; *Cyanerpes cyaneus*, 504, 511–513; Darwin's finches, 663–670; *Dendroica striata*, 504, 508–513; *Diglossa albilatera*, 504, 511–513; *D. lafresnayii*, 504, 511–513; *Diuca diuca*, 504, 511–513; *Empidonax difficilis*, 177, 184–187, 189; *Fringilla coelebs*, 504, 508–513; *Geothlypis trichas*, 389–390; *Gymnomystax mexicanus*, 504, 511–513; *Helmitheros vermivorus*, 504, 511–513; *Himatione sanguinea*, 504, 511–513; *Hylocichla mustelina*, 392–393; *Icteria virens*, 389–390; *Junco hyemalis*, 504, 508–513; *Leucosticte arctoa*, 504, 511–513; *Limnodromus griseus*, 526; *L. scolopaceus*, 526; *Melanospiza richardsoni*, 663–670; *Myioborus miniatus*, 504, 511–513; *Nephelornis oneilli*, 504, 508–513; New World oscines, 504–513; *Opisthocomus hoazin*, 34; *Parus bicolor atricristatus*, 526; *P. b. bicolor*, 526; Passeriformes, 413; *Pinicola enucleator*, 504, 511–513; *Pooecetes gramineus*, 504, 508–513; *Psarocolius angustifrons*, 504, 508–513; *Quiscalus major*, 526; *Q. mexicanus*, 526; *Rallus elegans*, 526; *R. longirostris*, 526; *Regulus calendula*, 389–390; *R. satrapa*, 389–390; *Sericornis* spp., 616–627; *Sicalis luteola*, 504, 508–513; *Spizella arborea*, 504, 511–513; *Tachyphonus rufus*, 504, 508–513; *Tersina viridis*, 504, 508–513; *Tiaris bicolor*, 663–670; *T. olivacea*, 663–670; *Troglodytes aedon*, 389–390; Turnicidae, 411; *Urothraupis stolzmanni*, 504, 511–513; *Volatinia jacarina*, 663–670
Teal, Blue-winged, 164–165, 167, 168, 175
Teather, Kevin L., Katherine E. Muma, and Patrick J. Weatherhead, Estimating female settlement from nesting data, 196–200
Temple, Stanley A., and John R. Cary, Wisconsin birds: a seasonal and geographical guide (rev.), 824–825
Tennessee, 11–16
Tern, Arctic, 282–284; Caspian, 339–343; Common, 142–147, 433–438, 720–725; Roseate, 433–438; White-fronted, 282–284
Terrill, Scott B., and Kenneth P. Able, Commentary: Bird migration terminology, 205–206
Territory of *Empidonax traillii*, 20, 22, 23; *Falco sparverius*, 36–44; *Lanius excubitor*, 582; *Pheucticus melanocephalus*, 3–4; *Thryothorus ludovicianus*, 12
Tersina viridis, 504–513
Tessier, G. D., see Blokpoel, H., and ———
Tetrao tetrix, 378–379
Texas, 197–199, 516–526
Thompson, Charles F., see Drilling, Nancy E., and ———
Thrush, Hermit, 756–766; Swainson's, 756–766; Wood, 392–393, 756–766
Thryothorus ludovicianus, 11–16
Tiaris bicolor, 663–670
T. olivacea, 663–670
Titmouse, Black-crested, 516–526; Tufted, 516–526
Todus mexicanus, 298–301
Tody, Puerto Rican, 298–301
Trail, Pepper W., see Baptista, Luis F., and ———
Troglodytes aedon, 386–390, 480–490
T. troglodytes, 756–766
Turdus migratorius, 374–377
Turnstone, Ruddy, 460–465
Tyrannus dominicensis, 654
Tyto alba, 699–704

Udvardy, M. D. F., review by, 228
Urban, Emil K., C. Hilary Fry, and Stuart Keith (Eds.), The birds of Africa. Vol. 2, Gamebirds to pigeons (rev.), 219–220
Uria aalge, 345–348, 446–451
U. lomvia, 345–348, 446–451
Urothraupis stolzmanni, 510–513
Utah, 177–189, 200–202

van Tets, G. F., see Rich, P. V., and ———
Veery, 379–383, 756–766
Venezuela, 195–196
Vermeer, Kees, see Hand, Judith Latta, et al.
Verner, Jared, Michael L. Morrison, and C. John Ralph

(Eds.), Wildlife 2000: modeling habitat relationships of terrestrial vertebrates (rev.), 227–228
Vireo, Black-whiskered, 298–301; Red-eyed, 756–766
Vireo altiloquus, 298–301
V. olivaceus, 756–766
Vocalizations, 143–146, 296–301, 589–590, 590–591, 609–615; variety of, 609–615
Vocalizations of *Accipiter striatus venator*, 652, 653; *Anous stolidus*, 589–590; *Columba squamosa*, 300, 301; Darwin's finches, 667–669; *Empidonax traillii*, 590–591; *Melanospiza richardsoni*, 668–669; *Setophaga ruticilla*, 609–615; *Spindalis zena*, 300, 301; *Sterna hirundo*, 143–146; *Tiaris bicolor*, 668–669; *T. olivacea*, 668; *Todus mexicanus*, 300, 301; *Vireo altiloquus*, 300, 301; *Volatinia jacarina*, 668–669
Volatinia jacarina, 663–670
Vulture, King, 195–196
Vulturidae, 529–534

Waide, Robert B., and Peter M. Narins, Tropical forest bird counts and the effect of sound attenuation, 296–302
Warbler, Blackburnian, 756–766; Black-throated Blue, 756–766; Black-throated Green, 756–766; Kirtland's, 204–205; Yellow-rumped, 379–383
Warham, John, In memoriam: Sir Charles Fleming, 574
Washington, 128–139, 672–679, 799–801
Waterthrush, Northern, 379–383
Watson, Adam, and Robert Moss, Commentary: Spacing behavior and population limitation in Red Grouse, 207–208
Waxwing, Cedar, 61–68, 379–383, 808
Weather, influence on (see Environment, influence on)
Weatherhead, Patrick J., see Teather, Kevin L., et al.
Weigt, Lee A., see Ingold, James L., et al.
Westneat, David F., Male parental care and extrapair copulations in the Indigo Bunting, 149–160; The relationships among polygyny, male parental care, and female breeding success in the Indigo Bunting, 372–374
Wheelwright, Nathaniel T., Seasonal changes in food preferences of American Robins in captivity, 374–378
Whistling-Duck, White-faced, 452–458
White, C. M., see Senner, S. E., et al.
Wiedenfeld, David A., see Lohrer, Fred E., et al.
Wilbur, Sanford R., Birds of Baja California (rev.), 605–606
Willebrand, Tomas, and Vidar Marcström, On the danger of using dummy nests to study predation, 378–379
Willet, 98, 99
Williams, Janet M., see Williams, Timothy C., and ———
Williams, Joseph B., Field metabolism of Tree Swallows during the breeding season, 706–714
Williams, Timothy C., and Janet M. Williams, Radar and visual observations of autumnal (southward) shorebird migration on Guam, 460–466
Willis, Ian, see Hollom, P. A. D., et al.
Wimberger, Peter H., Food supplement effects on breeding time and harem size in the Red-winged Blackbird (*Agelaius phoeniceus*), 799–802
Winker, Kevin, and John H. Rappole, The relationship between *Hylocichla* and *Catharus* (Turdinae), 392–394
Winnograd, Robin L., see Jackson, Wendy M., et al.
Wisconsin, 384–385, 543–551
Witmer, Lawrence M., see Bühler, Paul, et al.
Woodhoopoe, Green, 123–126
Woodpecker, Acorn, 73; Downy, 583–584, 756–766; Hairy, 73, 98, 583–584, 756–766; Red-cockaded, 498–503
Wrangham, R. W., see Rubinstein, D. I., and ———
Wren, Carolina, 11–16; House, 386–390, 480–490; Winter, 756–766
Wyoming, 177–189

Xanthocephalus xanthocephalus, 672–679

Yellowthroat, Common, 386–390
Yosef, Reuven, and Berry Pinshow, Nestling transfer in the Northern Shrike (*Lanius excubitor*), 580–581; and Berry Pinshow, Polygyny in the Northern Shrike (*Lanius excubitor*), 581–582
Yunick, Robert P., Commentary: Are weekend data suspect?, 808; see Pyle, Peter, et al.

Zach, Reto, Commentary: Growth-curve analysis: a critical reevaluation, 208–210
Zenaida aurita, 654
Zimmerman, Dale A., review by, 219–220; see Beehler, B. M., et al.
Zink, Robert M., Patterns and evolutionary significance of geographic variation in the *schistacea* group of the Fox Sparrow (*Passerella iliaca*) (rev.), 217–219; review by, 818–819; see Avise, John C., and ———
Zonotrichia leucophrys, 379–383
Z. querula, 424–427
Zousmer, Steven, see Steadman, David W., and ———
Zwinger, Ann, John Xántus: the Fort Tejon letters (rev.), 220–221

DATE OF ISSUE (Vol. 105, No. 4): 9 November 1988